

Work Order ID 142523

Monday, March 21, 2016 8:54:32 AM

142523

Page 1

Item ID: D2281 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Jack Saddle
 Start Date: 4/6/2016 Start Qty: 80.00 ***80*** Cust Item ID:
 Required Date: 4/13/2016 Req'd Qty: 80.00 ***80*** Customer:

Reference:

Approvals: Process Plan: W Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2281	Rev G								

105

0.00

105

Purchasing

Purchasing

Memo

ISSUE PO 31764
 CUT PER DRWG D2281 REV.G

0.00

80

MAR 21 2016

DAS
13
9-89

SCRAP

115

Receive & Inspect for Damage & Mat'l Certs

0.00

115

Packaging

Packaging

Memo

0.00

80x 80/16-04-01

125

QC5- Inspect part completeness to step on W/O

0.00

125

QC

Quality Control

Memo

0.00

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☒ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☒ Engineering ☐ Quality ☐ Other ☐					
Date : <u>16-04-20</u>		Step #: <u>105</u>		QTY Effective : <u>80</u>			MRB (QSI042) Approval DAS 9 9-89 <u>16-04-20</u>		
Description Work Order Deviation				Disposition					
Some dimension was out of tolerance see attach drawing. as per UCR 16-5694 R.C. supplier				Scrap & destroy no replace				Completed By 8-CE APR 20 2016 Lead hand / Supervisor Approval Verification DAS 9 9-89 <u>16-04-20</u> QC / QA Coordinator Approval DAS 9 9-89 <u>16-04-20</u>	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	☒ Outside Dimensions				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☒	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

142523

Monday, March 21, 2016 8:54:33 AM

N900040100

Setup Start *NS1*

Stop *NS2*

80

80

Reference:

Run Start *NR1*

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

130

130

Small Fab

Small Fab

Small Fab

Memo

Deburr

0.00

0.00

140

140

Brake NC

Brake NC

NC BRAKE

Memo

Form as per D2281 using D2281-T2

0.00

0.05

150

150

QC

Quality Control

QC5- Inspect part completeness to step on W/O

Memo

0.00

0.03

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐				
Misidentified ☐	Past Due ☐	OTHER : ☐			

Work Order ID 142523

Monday, March 21, 2016 8:54:33 AM

142523

Page 3

Item ID: D2281

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Jack Saddle

Start Date: 4/6/2016 Start Qty: 80.00

80

Cust Item ID:

Required Date: 4/13/2016 Req'd Qty: 80.00

80

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: _____	0.00							
160									
Packaging	Memo	0.01							
Packaging	LOCATION : WA001								
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.13							
Quality Control									

MS
APR 21 2016
φ

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐				
Date :	Step #:	QTY Effective :			MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By	
					Lead hand / Supervisor Approval Verification	
					QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY				
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : ☐						

Picklist Print

Monday, March 21, 2016 8:54:32 AM

Work Order ID: 142523

142523

Parent Item: D2281

D2281

Parent Item Name: Jack Saddle

Start Date: 4/6/2016

Required Date: 4/13/2016

Start Qty: 80.00

Required Qty: 80.00

Comments: IPP Rev:A Removed from 9 Digit 05-12-02 JLM
IPP: rev B 06.07.17 waterjet EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2281P		Purchased	No				Each	0.0000		80			
D2281P									**	80 x SP/6-04-01			DAS
Jack Saddle													13
M304S14GA		Purchased	No			100	sf	39.8500	0.125	10.52631			8-90
M304S14GA									**			APR 01 2016	
304SS sheet .080													

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
MAT019	39.85	
M129972	39.85	

m134604

==

16.04.21

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : ☐			
Misidentified ☐		Past Due ☐					

DART AEROSPACE LTD		Work Order:	142523
Description: Jack Saddle		Part Number:	D2281
Inspection Dwg: D2281 Rev: G		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
4.468	+/-0.010					
4.114	+/-0.010					
2.933	+/-0.010					
1.535	+/-0.010					
0.354	+/-0.010					
0.354	+/-0.010					
0.604	+/-0.010					
2.000	+/-0.010					
3.396	+/-0.010					
3.646	+/-0.010					
4.000	+/-0.010					
1.525	+/-0.010					
2.475	+/-0.010					
Ø0.323	+0.006/-0.001					
0.080	+/-0.010					

Measured by:		Audited by:		Prototype Approval:	N/A
Date:		Date:		Date:	N/A


Rev	Date	Change	Revised by	Approved
A	06.09.08	New Issue	KJ/JLM	



DESIGN BW	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2281	REV. G SHEET 1 OF 1
DATE 05.06.07	TITLE JACK SADDLE		SCALE 1:2
A	94.10.14	NEW ISSUE	
B	94.10.18	DIMENSION WAS 2.878	
C	94.11.04	ADD TOOLING NOTCH	
D	98.03.27	R0.350 WAS R0.280	
E	04.11.18	REMOVE TOOLING NOTCHES	
F	05.03.16	REDESIGN FLAT PATTERN	
G	05.06.07	REDESIGN FLAT PATTERN	

RELEASED

05/08/11



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 142583 M.L.S.
16-03-10
R0.350
0.700

D2281 JACK SADDLE

- 1) MATERIAL: 304/316 SS, 0.080 THICK (REF DART SPEC. M304S14GA)
- 2) FINISH: NONE
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 1994 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31764

Purchase Order Date 3/21/2016

PO Print Date 3/21/2016

Page Number 1 of 11

Order From :

VC-TPI001

TPI INDUSTRIES INC.
148 RUE GOODFELLOW
DELSON, QUEBEC J5B 1V4
CANADA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

MAR 21 2016

Contact Name

Vendor Phone 450-633-0484

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D2281P	Jack Saddle	4/6/2016 Yes 4/6/2016		80.00 Each	\$8.10	\$648.00
CUT AS PER DWG D2281 REV. G B142523 MATERIAL 304 SHEET 14 GA							
SP/6-04-01							
Line Total:							\$648.00
2	D4060-1P	Ski Clamp, Top	4/6/2016 Yes 4/6/2016		132.00 Each	\$5.75	\$759.00
CUT AS PER DWG D4060 REV. B B142586 X 100 PCS B142759 X 32 PCS MATERIAL 304 SHEET 14 GA							
SP/6-04-01							
Line Total:							\$759.00

Note:

3/21/2016

T.P.I. INDUSTRIES INC.

148 GOODFELLOW
DELSON, QUÉBEC J5B 1V4
CANADA
Tel: (450) 633-0484
Fax: (450) 633-0879

Packing Slip

Packing Slip No.: 7436
Date: 2016-03-29
Page: 1

Sold to: Dart Aerospace Chantal Lavoie 1270 Aberdeen Hawkesbury, Ontario K6A 1K7 Canada	Ship to: Dart Aerospace Chantal Lavoie 1270 Aberdeen Hawkesbury, Ontario K6A 1K7 Canada
Order No.: 31764	Sold By: JONATHAN LESSARD
Shipped By:	Ship Date: 2016-03-30
Tracking No.:	

Item No.	Unit	Description	Quantity
D2281 ✓		jack saddle ✓	80 ✓
D2585 ✓		latch clamp ✓	65 ✓
D3637-041 ✓		bracket assy ✓	12 ✓
D4060-1 ✓		ski clamp ✓	132 ✓
D4176-1 ✓		429 clamp ✓	8 ✓
d2232-3 ✓	Chaque	d2232-3 basket hinge ✓	15 ✓
d2581 ✓		mounting bracket ✓	68 ✓
D3191-1 → DB 98-1 ✓		fitting ✓	10 ✓
D3405-041 ✓		ground handling lug ✓	32 ✓
D3405-043 ✓		ground handling lug ✓	6 ✓
d3561-1 ✓	Chaque	d3561-1 seal insert tool ✓	6 ✓
d3912-5 ✓	Chaque	d3912-5 eyebolt plate ✓	30 ✓
d4021-1 ✓	Chaque	d4021-1 handle plate ✓	14 ✓
d4148-1 ✓	Chaque	d4148-1 crosstube lug plate fwd ✓	44 ✓
d4149-1 ✓	Chaque	d4149-1 crosstube lug plate aft ✓	20 ✓
d4150-3 ✓	Chaque	d4150-3 arm plate ✓	8 ✓
d4151-1 ✓	Chaque	d4151-1 lower hardpoint plate ✓	40 ✓
d4151-3 ✓	Chaque	d4151-3 upper hardpoint plate ✓	42 ✓

Sp/b ai-01

Comment: Net / 30 from date of invoice 2% svc. chg. on invoices over 30 days

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

STAINLESS STEEL SHEET 304L-2B DUAL GRADE

.1200 Nom X 48.0000" X 96.0000"

PART NO.

PO/Rel 31741

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by: 

Certificate of Mill Test Results

BL PEC-983229-002

21Mar16

Pg 1/1



METALLURGICAL TEST REPORT

North American Stainless Canada Inc.
740 Imperial Road North
Guelph, ON N1K1Z3
Canada

740 Imperial Road North

Certificate: 117938 1

Customer: 007206 001

Mail To:

THYSSENKRUPP MATERIALS
2821 LANGSTAFF ROAD
CONCORD, ON L4K5C6

Ship To:

THYSSENKRUPP MATERIALS
2821 LANGSTAFF ROAD
CONCORD, ON L4K5C6

Date: 11/26/2015 Page: 1

Steel: 304/304L

Finish: 2B

Corrosion: ASTM A262/14;180Bend-OK

Your Order: PEC271093

NAS Order: WN 0072789 07

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED. UNS 30400/30403
ASTM A240/15a, A480/14b, A666/15; ASME SA240/13, SA480/13, SA666/13
CHEM ONLY ON FOLLOWING ASTM: A276/13, A479/13a, A484/13a, A312/13
CHEM ONLY ON FOLLOWING ASME: SA312/13, SA479/13
AMS 5511H/5513J XMRK; MIL-5059D AMD3 (X CRN MEAS); MIL-4043B
NACE MR0175/ISO 15156-3:2009 A, MR0103/07; QQS766D-A X MAG PERM
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'1 is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1; RoHS 1 & 2 Compliant
Material is Free of Radioactive Contamination
Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001
*Melted & Manufactured in the USA; Mat'1 is DFARS Compliant

Product Id	Coil #	Skid #	Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
02X2A3 DA	02X2A3 D		.1163	48.0000	4.970	SHEETS	096.00	32	

Lab Accreditation Bureau, ISO/IEC 17025, Certificate# L2323

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) Chemical Analysis per ASTM A751/08


HEAT	CM	C %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
X2A3	US	.0270	18.2380	.3950	1.7650	.3735	.0830	8.0045	.0340	.0010
SI %										
.2375										

MECHANICAL PROPERTIES

Product Id#	Coil #	1 d c i c r	UTS KSI	20C .2% YS KSI	ELONG %-2"	Hard RB	Tail Hard
02X2A3 DA	02X2A3 D	F T	92.66	44.92	51.32	86.00	87.00

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
Dept. Mgr.


ABHIJEET BHAVE

11/26/2015

STAINLESS STEEL SHEET 304L-2B DUAL GRADE
.0750 Nom X 48.0000" X 120.0000"
PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

21Mar16
Pg 1/1

Signed by





No.600,Xinglong St., Jiexing Yi), Gangshan Dist.,
Kaohsiung City 82057, Taiwan (R.O.C)

Specification/Steel Grade : DIN EN 10028-7 1.4301/1.4307_C
Surface Finish : No.2B

1. We hereby certify that material described herein has been manufactured and tested with satisfactory results in accordance with the requirement of the above material specification.
2. The material described above has been detected with free irradiation.
3. NUSCO has established a QMS according to ISO 9001, which is certified by DNY CERT (reg.-no.0058-2002-AQ-RGC-RYA).
4. Inspection and gauge measurement: Satisfactory
5. The report can only be reproduced in full.
6. This certificate complies to 3.1/DIN EN 10204:2005.
7. The tests including "Tensile Test", "Intergranular Attack" (I.I. TEST) have been accredited by 42LA (TESTING CERT #0958.02).

F. A. Hudson

Doc No. 220730 Indexed 4Nov15 by slssup1



- 1) MATERIAL: 304/316 SS, 0.080 THICK (REF DART SPEC. M304S14GA)
- 2) FINISH: NONE
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.